

RIVANNA WATER & SEWER AUTHORITY
WEEKLY OPERATIONS REPORT - WATER DEPARTMENT
DATE: OCTOBER 12, 2025

DATE	WATER TREATMENT PLANT PRODUCTION (MGD)						
	SOUTH RIVANNA	OBSERVATORY	NORTH RIVANNA	URBAN TOTAL	CROZET	RED HILL	SCOTTSVILLE
10/6/2025	9.751	2.105	0.102	11.958	0.720	0.003	0.054
10/7/2025	9.610	1.171	0.112	10.893	0.728	0.002	0.050
10/8/2025	8.886	1.321	0.000	10.207	0.804	0.002	0.060
10/9/2025	9.129	1.383	0.000	10.512	0.765	0.002	0.052
10/10/2025	9.365	1.466	0.000	10.831	0.686	0.002	0.060
10/11/2025	8.360	0.983	0.000	9.343	0.665	0.001	0.057
10/12/2025	7.844	0.893	0.000	8.737	0.684	0.001	0.047
TOTAL =	62.945	9.322	0.214	72.481	5.052	0.013	0.380
AVERAGE =	8.992	1.332	0.031	10.354	0.722	0.002	0.054

DATE	PRECIPITATION (INCHES)					
	OBSERVATORY	RAGGED MOUNTAIN	SUGAR HOLLOW	SOUTH RIVANNA	CROZET	SCOTTSVILLE
10/6/2025	0.00	0.00	0.00	0.00	0.00	0.00
10/7/2025	0.05	0.08	0.16	0.06	0.10	0.03
10/8/2025	0.20	0.18	0.04	0.14	0.17	0.15
10/9/2025	0.00	0.00	0.00	0.00	0.00	0.05
10/10/2025	0.00	0.00	0.00	0.00	0.00	0.00
10/11/2025	0.04	0.02	0.08	0.03	0.07	0.08
10/12/2025	0.09	0.05	0.22	0.08	0.13	0.01
TOTAL =	0.38	0.33	0.50	0.31	0.47	0.32

DATE	RESERVOIR LEVELS (FEET FROM FULL)					RESERVOIR LEVELS (% FULL)				
	RAGGED MOUNTAIN	SUGAR HOLLOW	SOUTH RIVANNA	BEAVER CREEK	TOTIER CREEK	RAGGED MOUNTAIN	SUGAR HOLLOW	SOUTH RIVANNA	URBAN	BEAVER CREEK
10/6/2025	- 1.90	- 0.68	Full	Full	Full	92.78%	96.89%	100.00%	95.70%	100.00%
10/7/2025	- 1.96	- 0.65	Full	Full	Full	92.78%	96.89%	100.00%	95.70%	100.00%
10/8/2025	- 1.96	- 0.61	Full	Full	Full	92.78%	96.89%	100.00%	95.70%	100.00%
10/9/2025	- 1.96	- 0.59	Full	Full	Full	92.78%	97.33%	100.00%	95.76%	100.00%
10/10/2025	- 2.05	- 0.64	Full	Full	Full	92.43%	96.89%	100.00%	95.51%	100.00%
10/11/2025	- 2.08	- 0.66	Full	Full	Full	92.43%	96.89%	100.00%	95.51%	100.00%
10/12/2025	- 2.08	- 0.70	Full	Full	Full	92.43%	96.89%	100.00%	95.51%	100.00%